

***Bianchi***

2022  
COLLECTION

The content of this presentation kit is property of F.I.V. E Bianchi Spa and it is strictly confidential.

The Receiving party must protect the confidentiality of Confidential Information and not use it in any way for the entire period leading up to the Bianchi official launch. The Receiving party must refrain from disclosing or communicating in any way to third parties, even within its organization, the Confidential Information, if not previously authorized in writing by Bianchi.

**ROAD**

## SPECIALISSIMA - DURA ACE DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBY5  |
| COLOR              | 'SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours   |
| FRAME              | Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm  |
| BOLTS/HARDWARE     | AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo   |
| SEATPOST CLAMP     | Included in the frame  |
| HEADSET            | Fsa N0.55R 1.5"/ACR/Bianchi Matt black , lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1 compresor  |
| FORK               | Full Carbon, 1.5" x 1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Duraace Di2 hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, DURA-ACE, ST-R9270(L), BR-R9270(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black<br>Disc-brake assembled set/J-kit direct, DURA-ACE, ST-R9270(R), BR-R9270(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black +<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 +<br>Small parts for SM-BH90, olive & connector insert each 2pcs |
| REAR DERAILLEUR    | Shimano, Duraace Di2 12sp, RD-R9250, top normal shadow design, direct attachment, max 34T  |
| FRONT DERAILLEUR   | Shimano Duraace Di2 FD-R9250, brazed-on type   |
| ELECTRIC CABLE     | 1 - Electric wire, EW-SD300, for external routing, 500mm (FD)<br>2 - Electric wire, EW-SD300, for external routing, 1200mm (RD)  |
| CHARGER/PWRCABLE   | Shimano EW-EC300, 1700mm   |
| CRANKSET           | Shimano Duraace 12sp, FC-R9200 50x34T, hollowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB92-41B , press fit  |
| CHAIN              | Shimano Dura Ace CN-M9100  |
| CASSETTE/FREEWHEEL | Shimano CS-R9200 DURA-ACE 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-R9270 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | Included   |
| DISC ROTOR         | Shimano RT-MT900 center lock, diam.160mm   |
| RIM/WHEELSET       | Vision SC40  |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI   |
| STEM               | Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise 6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm  |
| HANDLEBAR          | Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm  |
| GRIP/TAPE          | Black soft Microfiber taper w/Shockproof EVA-139   |
| SEATPOST           | Reparto Corse by FSA K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm diam., Di2 Battery compatible  |
| SADDLE             | Fizik Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System, 275x142mm   |

## SPECIALISSIMA - ULTEGRA DI2 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBY6   |
| COLOR              | SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy<br>*Tavolozza colours  |
| FRAME              | Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| BOLTS/HARDWARE     | AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo  |
| SEATPOST CLAMP     | Included in the frame   |
| HEADSET            | Fsa NO.55R 1.5"/ACR/Bianchi Matt black, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1  |
| FORK               | Full Carbon, 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100  |
| SHIFTER            | Ultegra Di2 hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 + Small parts for SM-BH90, olive & connector insert each 2pcs |
| REAR DERAILLEUR    | Shimano Ultegra Di2 12sp RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, max 34T   |
| FRONT DERAILLEUR   | Shimano Ultegra Di2 12sp FD-R8150, Ultegra Di2, brazed-on type  |
| ELECTRIC CABLE     | 1 - Electric wire, EW-SD300, for external routing, 500mm (FD)<br>2 - Electric wire, EW-SD300, for external routing, 1200mm (RD)   |
| CHARGER/PWRCABLE   | Shimano EW-EC300, 1700mm  |
| CRANKSET           | Shimano Ultegra FC-R8100, hollowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit  |
| CHAIN              | Shimano Ultegra CN-M8100, 12sp  |
| CASSETTE/FREEWHEEL | Shimano Ultegra CS-R8100, 11-12-13-14-15-16-17-19-21-24-27-30T  |
| BRAKE              | Shimano BR-R8170 Hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | Included  |
| DISC ROTOR         | Shimano RT-MT800 center lock type, 160mm front rear, with lock ring   |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake, R400 aluminium asymmetric 622x19c, tubeless ready, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS   |
| TIRE               | Pirelli P ZERO Race, 26-622, 127TPI   |
| STEM               | Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm   |
| HANDLEBAR          | Reparto Corse fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm   |
| GRIP/TAPE          | Black soft Microfiber taper w/Shockproof EVA-139  |
| SEATPOST           | Reparto Corse by FSA K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm diam., Di2 Battery compatible   |
| SADDLE             | Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex, rail carbon braided 7x9cover, Integrated Clip System, 275x142mm   |



## SPECIALISSIMA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBY7   |
| COLOR              | SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy<br>*Tavolozza colours  |
| FRAME              | Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| BOLTS/HARDWARE     | AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo  |
| SEATPOST CLAMP     | Included in the frame   |
| HEADSET            | Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube (w/o crown), w/TH-881-1 compresor   |
| FORK               | Full Carbon - 1.5" x 1.5" x 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Ultegra hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 +<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2+<br>Small parts for SM-BH90, olive & connector insert each 2pcs |
| REAR DERAILLEUR    | Shimano Ultegra 11 sp, RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T   |
| FRONT DERAILLEUR   | Shimano Ultegra 11 sp, FD-R8000 Ultegra for rear 11-speed, brazed-on type   |
| CRANKSET           | Shimano Ultegra 11sp FC-R8000, Ultegra hollowtech II, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road   |
| CHAIN              | Shimano Ultegra 11 sp, CN-HG701-11  |
| CASSETTE/FREEWHEEL | Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | Included  |
| DISC ROTOR         | Shimano SM-RT800 center lock, diam. 160mm   |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake, R400 aluminium asymmetric 622x19c, tubeless ready, Height 34mm, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS  |
| TIRE               | Pirelli P ZERO Race, 26-622, 127TPI   |
| STEM               | Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise-6°, Di2 compatible, ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm  |
| HANDLEBAR          | Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm   |
| GRIP/TAPE          | Black soft Microfiber taper w/Shockproof EVA-139  |
| SEATPOST           | Fsa JD-SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 27,2mm, Length: L350mm/47-61cm  |
| SADDLE             | Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, length/wide 274x142mm  |

**SPECIALISSIMA - SRAM RED ETAP AXS 12SP**



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBY8   |
| COLOR              | 'SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours  |
| FRAME              | Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm |
| BOLTS/HARDWARE     | AL7075-T6 large button head, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo  |
| SEATPOST CLAMP     | Included in the frame   |
| HEADSET            | Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881/CR-1 compresor        |
| FORK               | Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100mm  |
| SHIFTER            | Sram Red eTap AXS D1 2x12sp   |
| REAR DERAILLEUR    | Sram Red eTap AXS D1 12sp   |
| FRONT DERAILLEUR   | Sram Red eTap AXS D1, braze on  |
| CHARGER/PWRCABLE   | Included in the battery   |
| CRANKSET           | Sram Red D1 46x33T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41   |
| CHAIN              | Sram Red D1 12sp  |
| CASSETTE/FREEWHEEL | Sram Red XG-1290 D1 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T  |
| BRAKE              | Included in the shifter   |
| DISC ROTOR         | Sram centerline x Road, 160mm   |
| RIM/WHEELSET       | Vision SC40   |
| TIRE               | Pirelli P ZERORace , 26-622, 127TPI, Aramid breaker   |
| STEM               | Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, 31.8mm / steerer diam. 28.6mm / rise 6° , Di2 compatible, RC'21 graphics, Ext: 90mm-47/50cm,100mm-53cm,110mm-55/57cm,120mm-59cm, 130mm-61cm   |
| HANDLEBAR          | Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm                          |
| GRIP/TAPE          | Black soft Microfiber tapes w/Shockproof EVA-139  |
| SEATPOST           | Reparto Corse Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm, Di2 Battery compatible  |
| SADDLE             | Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System,275x142mm   |



## SPECIALISSIMA - SUPER RECORD EPS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBY4   |
| COLOR              | SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy<br>*Tavolozza colours  |
| FRAME              | Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm |
| BOLTS/HARDWARE     | AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo  |
| SEATPOST CLAMP     | Included in the frame   |
| HEADSET            | Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1 compressor          |
| FORK               | Full Carbon - 1.5" x 1.5" x 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Super Record 12s left EP EPS + 160 front caliper + screws w oil (Intl STD)<br>Super Record 12s right EP EPS + 160 rear caliper w oil (Intl STD)   |
| REAR DERAILLEUR    | Campagnolo Super Record EPS 12sp  |
| FRONT DERAILLEUR   | Campagnolo Super Record EPS 12s braze-on, front derailleur stiffness increaser  |
| ELECTRIC CABLE     | Campagnolo EPS V4 Internal interface-handlebar mount 12sp   |
| CHARGER/PWRCABLE   | Campagnolo EPS battery charger kit for EPS V3/V4 12sp Power Unit, CEE, AUS, UK, US  |
| CRANKSET           | Campagnolo Super Record ultra-torque CT TI Carbon 12s 170-172,5-175mm 34-50T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm  |
| CHAIN              | Campagnolo Super Record 12sp  |
| CASSETTE/FREEWHEEL | Campagnolo Super Record 12sp, 11-29T  |
| BRAKE              | Included in the shifter, 29mm fixing screws for 20mm frame thickness  |
| BRAKE LEVER        | Included  |
| DISC ROTOR         | Campagnolo 03 AFS, diam. 160mm  |
| RIM/WHEELSET       | Fulcrum Wind400DB   |
| TIRE               | Pirelli P ZERO Race, 26-622, 127TPI   |
| STEM               | Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise-6°, Di2 compatible, ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm                                  |
| HANDLEBAR          | Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm                          |
| GRIP/TAPE          | Black soft Microfiber taper w/Shockproof EVA-139  |
| SEATPOST           | Reparto Corse by FSA K-Force Light SB25, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., Di2 Battery compatible            |
| SADDLE             | Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex, rail carbon braided 7x9cover, Integrated Clip System, 275x142mm   |



## SPECIALISSIMA - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |   |
|------------------|---|
| CODE             | XR804   |
| COLOR            | SB: Black Carbon UD/Mermaid Scale Full Glossy<br>SC: CK16/Mermaid Scale Full Glossy<br>SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours   |
| FRAME            | SPECIALISSIMA CV Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm         |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo   |
| SEATPOST CLAMP   | included in the frame   |
| HEADSET          | Fsa NO.55R 1.5"/ACR/Bianchi Matt black, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube (w/o crown), w/TH-881/CR-1 compresor |
| FORK             | Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100  |
| STEM             | Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm        |
| HANDLEBAR        | Reparto Corse Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm   |

## SPRINT - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBR4  |
| COLOR              | ID: CK16 Glossy<br>SW: Black/Graphite Glossy   |
| FRAME              | Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4" - 1.1/8", integrated seat clamp, full carbon dropout, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | Included in the frame  |
| HEADSET            | Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube  |
| FORK               | Full Carbon Aero Road 1.4" x 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | Shimano Ultegra ST-R8020 2x11sp, hydraulic disc brake, Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 + Small parts for SM-BH90, olive & connector insert each 2pcs |
| REAR DERAILLEUR    | Shimano Ultegra RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double   |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, 61-66°, for 46/53T cl: 43,5mm  |
| CRANKSET           | Shimano FC-R8000, Ultegra hollowtech 2, for rear 11- speed, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover  |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T   |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70, center lock, with Ice Technology, diam.160mm  |
| RIM/WHEELSET       | Velomann VR30 alloy, C19 disc brake, 30mm rim profile, clincher 622x19C, front HH12 - rear HH12/142  |
| TIRE               | Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork<br>color: Black  |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm, 350mm-47/61cm   |
| SADDLE             | Velomann I285 URN, steel rails, length/wide 278x144mm  |

## SPRINT - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBR5  |
| COLOR              | ID: CK16 Glossy<br>SW: Black/Graphite Glossy   |
| FRAME              | Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube  |
| FORK               | Full Carbon Aero Road 1.4" x 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | 105 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose (SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 +<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 black +<br>Small parts for SM-BH90, olive & connector insert each 2pcs |
| REAR DERAILLEUR    | Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-R7000-L, 105, 11sp, down-swing, brazed-on type, 61-66°, for top gear: 46-53T, CL: 43.5mm  |
| CRANKSET           | Shimano 105 11sp Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T   |
| BRAKE              | Shimano BR-R7070 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70, center lock, with Ice Technology, diam. 160mm   |
| RIM/WHEELSET       | Velomann VR30 alloy, C19 disc brake, 30mm rim profile, clincher 622x19C, front HH12 - rear HH12/142  |
| TIRE               | Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look with Bianchi logo   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27.2mm, Length: 300mm-44cm, 350mm-47/61cm   |
| SADDLE             | Velomann 1285 URN, steel rails, length/wide 278x144mm  |



## SPRINT - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBR3   |
| COLOR              | ID: CK16 Glossy<br>SW: Black/Graphite Glossy  |
| FRAME              | Sprint carbon monocoque, bbset pressfit 86,5x41, compatible mechanical and electronic, sizes 44-47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | Included in the frame   |
| HEADSET            | fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube  |
| FORK               | Full Carbon 1.4" x 1.1/8"   |
| SHIFTER            | Shimano 105 ST-R7000 11sp, 105, 2-speed, left w/1800mm sl inner, w/o outer stopper & cable guide<br>Shimano ST-R7000, 105, 11sp, right w/2100mm sl inner, w/o outer stopper & cable guide |
| REAR DERAILLEUR    | Shimano 105 RD-R7000, 105 GS 11sp, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano 105 FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for 46/53T, CL :43.5mm  |
| CRANKSET           | Shimano FC-RS510 11-speed, 2-pcs FC, 165-170-172-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover   |
| CHAIN              | Kmc X11-1 EPT finish, 11sp  |
| CASSETTE/FREEWHEEL | Shimano 105 CS-R7000, 105, 11-12-13-14-16-18-20-22-25-28-32T  |
| BRAKE              | Shimano BR-R561-L, front CS49, 12.5mm sunken nut, 27.5mm pivot bolt, shoes w/R55CT4<br>Shimano BR-R561-L, rear CS49, 10.5mm sunken nut, 12.8mm pivot bolt, shoes w/R55CT4                 |
| BRAKE LEVER        | Included  |
| RIM/WHEELSET       | WH-RS100, F:20h/R:24h, for 11/10 speed, OLD:100/130R-QR:163mm   |
| TIRE               | Vittoria Zaffiro Pro V 700 x 25c, 26TPI, G2.0 Folding, black  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm  |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm   |
| GRIP/TAPE          | La Spirale Ribbon cork w/new plug carbon look with Bianchi logo   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: L300mm-44cm, L350mm-47/61cm  |
| SADDLE             | Velomann I285 URN, steel rails, length/wide 278x144mm   |

**OLTRE XR4**



**XC:** Graphite Race/CK16 shade + White Logo Full Glossy



**NEW COLOR**



**NEW LOGO**



# OLTRE XR4



**XB:** Graphite Race/Grey shade Matt + Metal Mirror Logo Gloss



**NEW COLOR**



**NEW LOGO**



**OLTRE XR4**



**XW:** White/CK16 shade+ Soft Black Logo Full Glossy



**NEW COLOR**



**NEW LOGO**

## OLTRE XR4 - DURA ACE Di2 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB15  |
| COLOR              | XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy<br>XC: Graphite Race/CK16 shade + White Logo Full Glossy<br>XW: White/CK16 shade+ Soft Black Logo Full Glossy*Tavolozza colours   |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube   |
| FORK               | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Shimano Duraace Di2 hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, DURA-ACE, ST-R9270(L), BR-R9270(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm<br>Disc-brake assembled set/J-kit direct, DURA-ACE, ST-R9270(R), BR-R9270(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R9250, DURA-ACE Di2 12sp, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket   |
| FRONT DERAILLEUR   | Shimano FD-R9250, DURA-ACE Di2, brazed-on type, down swing, top gear 46-55T, for rear 12sp   |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Electric wire, Shimano EW-SD300, for external routing, 1200mm (RD)   |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm   |
| CRANKSET           | Shimano FC-R9200, DURA-ACE hollowtech 2, for rear 12- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB92-41B , press fit type for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-M9100, 112link for HG 12- speed   |
| CASSETTE/FREEWHEEL | Shimano CS-R9200 DURA-ACE 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-R9270 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano RT-MT900 center lock type w/Ice Tech, 160mm front and rear   |
| FRONT HUB          | Reparto Corse DR835F-CL (HH12X100) 24HX14G, Hub shell : AL6082-T6, Axle material: AL 7075-T6, Ball bearing, centerlock, Anodized black, with rotor lockring  |
| REAR HUB           | Reparto Corse DR835SRA-CL 24HX14G; Hub shell : AL6082-T6, Axle material: AL 7075-T6, 4 Ball bearing, centerlock, Anodized black, with rotor lockring, HG   |
| RIM/WHEELSET       | Vision SC55  |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker   |
| STEM               | Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm  |
| HANDLEBAR          | included in the stem   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm  |



## OLTRE XR4 - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB17  |
| COLOR              | XB: Graphite Race/Grey shade Matt + Metal Mirror Logo<br>Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy<br>XW:White/CK16 shade+ Soft Black Logo Full Glossy<br>*Tavolozza colours  |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube   |
| FORK               | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Shimano Ultegra Di2 hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket  |
| FRONT DERAILLEUR   | Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp  |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)<br>Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)  |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm   |
| CRANKSET           | Shimano FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-M8100, 112link for HG 12- speed   |
| CASSETTE/FREEWHEEL | Shimano CS-R8100,Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T  |
| BRAKE              | Shimano BR-R8170 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano RT-MT800 center lock type w/lce Tech, 160mm front rear, with lock ring (2pcs)  |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake<br>R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11, color black+CK16  |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker   |
| STEM               | Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm  |
| HANDLEBAR          | included in the stem   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fi'zi:k Argo Vento R3 140mm, shell nylon carbon reinforced WingFlex , rail new K:i:um, Length 260mm x Width 140mm  |



## OLTRE XR4 - RED ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRB09   |
| COLOR              | XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy<br>XC: Graphite Race/CK16 shade + White Logo Full Glossy<br>XW: White/CK16 shade+ Soft Black Logo Full Glossy<br>*Tavolozza colours  |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5", BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame   |
| HEADSET            | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube  |
| FORK               | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100  |
| SHIFTER            | Sram Red eTap AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose<br>Red eTap AXS D1 12sp Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts |
| REAR DERAILLEUR    | Sram Red eTap AXS D1, 12sp  |
| FRONT DERAILLEUR   | Sram Red eTap AXS D1 braze on   |
| CHARGER/PWRCABLE   | Included in the battery   |
| CRANKSET           | Sram Red D1 12sp double 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41   |
| CHAIN              | Sram Red D1 12sp  |
| CASSETTE/FREEWHEEL | Sram Red XG-1290 D1, 10-11-12-13-14-15-16-17-19-21-24-28T   |
| BRAKE              | included in the shifter   |
| DISC ROTOR         | Sram Rotor centerlock centerline x Road 160mm black rounded, Lock ring ASMBH20  |
| FRONT HUB          | Reparto Corse DR835F-CL 24HX14G, Hub shell : AL6082-T6, Axle material: AL 7075-T6, Ball bearing, centerlock, Anodized black, with rotor lockring  |
| REAR HUB           | Reparto Corse DR835XDR-CL 24HX14G; Hub shell : AL6082-T6, Axle material: AL 7075-T6, 4 Ball bearing, centerlock, Anodized black, with rotor lockring, XDR   |
| RIM/WHEELSET       | Vision SC55   |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker  |
| STEM               | Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm   |
| HANDLEBAR          | included in the stem  |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug  |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380mm-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp   |
| SADDLE             | Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm   |

## OLTRE XR4 - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB12  |
| COLOR              | XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy<br>XC: Graphite Race/CK16 shade + White Logo Full Glossy<br>XW: White/CK16 shade+ Soft Black Logo Full Glossy<br>*Tavolozza colours   |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube   |
| FORK               | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100   |
| SHIFTER            | Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose<br>RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts |
| REAR DERAILLEUR    | Sram RIVAL ETAP AXS D1 MAX 36T   |
| FRONT DERAILLEUR   | Sram RIVAL ETAP AXS D1 BRAZE   |
| CHARGER/PWRCABLE   | Included in the battery  |
| CRANKSET           | Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41  |
| CHAIN              | Sram RIVAL D1 12SP   |
| CASSETTE/FREEWHEEL | Sram CS XG 1250 D1 10-36T  |
| BRAKE              | included in the shifter  |
| DISC ROTOR         | Sram Rotor centerlock centerline Road 160mm  |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake<br>R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, XDR                               |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker   |
| STEM               | Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm  |
| HANDLEBAR          | included in the stem   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fizik Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm  |



## OLTRE XR4 - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBL9   |
| COLOR              | XB: Graphite Race/Grey shade MATT+ Metal Mirror Logo GLOSSY<br>XC: Graphite Race/CK16 shade+ White Logo<br>*Tavolozza colours   |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41, sizes 44-47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame   |
| HEADSET            | Fsa Orbit C-33, top cover UD Carbon 1 1/8-1 1/4, 45°- 45 ACB bearing, w/Carbon custom cone spacer H2042 specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D                                  |
| FORK               | Full Carbon aero 1 1/4" x 1 1/8" integrated head  |
| SHIFTER            | Shimano ST-R8150, Ultegra Di2, electronic shift/caliper brake, 2x12sp   |
| REAR DERAILLEUR    | Shimano RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, WTL-EW300, 34T Max Low Sprocket  |
| FRONT DERAILLEUR   | Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp   |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)<br>Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)   |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm  |
| CRANKSET           | Shimano FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing  |
| CHAIN              | Shimano CN-M8100, 112link for HG 12sp   |
| CASSETTE/FREEWHEEL | Shimano CS-R8100, Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T  |
| BRAKE              | Shimano BR-R8110-F, Ultegra front, direct mount type, CS51, shoe: R55C4, BR-R8110-RS, Ultegra rear seat stay mount type, CS51, shoe: R55C4  |
| BRAKE LEVER        | included  |
| RIM/WHEELSET       | Trimax 35 caliper 700x19c, clincher, standard SBS   |
| TIRE               | Pirelli P ZERO Race, 26-622, 127TPI, Aramid breaker   |
| STEM               | Reparto Corse Metron 5D Integrated Aero bar, SB-KO-i310S, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-44/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm   |
| HANDLEBAR          | included in the stem  |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug        |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp |
| SADDLE             | Fizik Argo Vento R3 140mm ; shell nylon carbon reinforced WingFlex, rail new Kium, Length 260mm x Width 140mm   |



## OLTRE XR4 - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBL2   |
| COLOR              | XC: Graphite Race/CK16 shade+ White Logo<br>*Tavolozza colours  |
| FRAME              | OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41, sizes 44-47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame   |
| HEADSET            | Fsa Orbit C-33, top cover UD Carbon 1 1/4-1 1/4, 45° - 45 ACB bearing, w/Carbon custom cone spacer H2042 specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube , NO.44/CF-R/5D                                |
| FORK               | Full Carbon aero 1 1/4" x 1 1/8" integrated head  |
| SHIFTER            | Shimano ST-R8000, Ultegra 2x11sp  |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra SS 11sp top normal shadow design, direct attachment, compatible with low gear 25-30T for double   |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm   |
| CRANKSET           | Shimano FC-R8000, Ultegra hollowtech II, for rear 11sp, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing  |
| CHAIN              | Shimano CN-HG701-11, for 11-speed (road/mtb compatibile), 110 links, w/o end pin, w/ampoule type connect pin X1   |
| CASSETTE/FREEWHEEL | Shimano CS-R8000, Ultegra 11sp, 11-12-13-14-15-17-19-21-24-27-30T   |
| BRAKE              | Shimano<br>BR-R8010-F, Ultegra front, direct mount type, shoe: R55C4<br>BR-R8010-RS, Ultegra rear seat stay mount type, shoe: R55C4   |
| BRAKE LEVER        | included  |
| RIM/WHEELSET       | Trimax 35 caliper 700X19c, clincher, standard SBS   |
| TIRE               | Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker  |
| STEM               | ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm   |
| HANDLEBAR          | JD-RA83A.2 Aero Compact, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/50cm , 420mm-53/57cm, 440mm-59/61cm  |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug        |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm; 300mm-50/53cm; 350mm-55-59; 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp |
| SADDLE             | Fi'zi:k Argo Vento R3 140mm ; shell nylon carbon reinforced WingFlex , rail new K:i:um, Length 260mm x Width 140mm  |

## OLTRE XR4 - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |   |
|------------------|---|
| CODE             | XR8021  |
| COLOR            | XC: Graphite Race/CK16 shade+ White Logo Full Glossy<br>*Tavolozza colours  |
| FRAME            | OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm  |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo<br>- Nut stainless steel front brake 35mm M6<br>- Nut stainless steel rear brake 18mm M6<br>- Washer stainless steel front brake 13x3,5           |
| SEATPOST CLAMP   | included in the frame   |
| HEADSET          | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube  |
| FORK             | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100  |
| STEM             | Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm                           |
| HANDLEBAR        | Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm |
| SEATPOST         | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm                                    |

## OLTRE XR4 - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |   |
|------------------|---|
| CODE             | XRBO2X  |
| COLOR            | XC: Graphite Race/CK16 shade+ White Logo Full Glossy<br>*Tavolozza colours  |
| FRAME            | OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5", BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm   |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo<br>- Nut stainless steel front brake 35mm M6<br>- Nut stainless steel rear brake 18mm M6<br>- Washer stainless steel front brake 13x3,5           |
| SEATPOST CLAMP   | included in the frame   |
| HEADSET          | Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" top 1 .5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube  |
| FORK             | Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100  |
| STEM             | Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm                           |
| HANDLEBAR        | Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm |
| SEATPOST         | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm                                    |



## OLTRE XR4 - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |  |
|------------------|--|
| CODE             | XR803  |
| COLOR            | XB: Graphite Race/Grey shade Matt+ Metal Mirror Logo Glossy<br>XC: Graphite Race/CK16 shade+ White Logo Full Glossy*Tavolozza colours  |
| FRAME            | OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41<br>sizes 44-47-50-53-55-57-59-61cm  |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo  |
| SEATPOST CLAMP   | included in the frame  |
| HEADSET          | Fsa Orbit C-33, top cover UD Carbon 1 1/8-1 1/4, 45°- 45 ACB bearing, w/Carbon custom cone spacer H2041 for normal stem, for 47mm/52mm OD head tube  |
| FORK             | Full Carbon aero 1.1/4*1.1/8" integrated head  |
| SEATPOST         | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm |

# OLTRE XR3



**XC:** Graphite Race/CK16 shade + White Logo Full Glossy



**NEW COLOR**



**NEW LOGO**



**OLTRE XR3**



**XB:** Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy



**NEW COLOR**



**NEW LOGO**



**OLTRE XR3**



**XW:** White/CK16 shade+ Soft Black Logo Full Glossy



**NEW COLOR**



**NEW LOGO**

## OLTRE XR3 - ULTEGRA DI2 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB18  |
| COLOR              | XC: Graphite Race/CK16 shade + White Logo Full Glossy  |
| FRAME              | OLTRE XR3 Bianchi CV carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1.1/8" ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy   |
| FORK               | Full Carbon Aero Road 1.5" x 1.1/8" integrated head , Disc brake flat mount , thru axle 12x100   |
| SHIFTER            | Shimano Ultegra Di2 hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8150, Ultegra Di2 12sp, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket  |
| FRONT DERAILLEUR   | Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp, clamp band adapter for FD-R9150-F, SM-AD91,L-size (34.9mm)  |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)<br>Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)  |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm   |
| CRANKSET           | Shimano FC-R8100, Ultegra hollowtech II, for rear 12- speed, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-M8100, 112link for HG 12sp  |
| CASSETTE/FREEWHEEL | Shimano CS-R8100,Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T  |
| BRAKE              | Shimano BR-R8170 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear   |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake<br>R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11  |
| TIRE               | Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding   |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, 1 1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm  |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look with Bianchi logo   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fizi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm  |



## OLTRE XR3 - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBK7  |
| COLOR              | XB: Graphite Race/Grey shade Matt+ Metal Mirror Logo Glossy<br>XC: Graphite Race/CK16 shade+ White Logo Full Glossy<br>XW: White/CK16 shade+ Soft Black Logo Full Glossy   |
| FRAME              | OLTRE XR3 Bianchi CV carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy  |
| FORK               | Full Carbon Aero Road 1.5" x 1.1/8" integrated head , Disc brake flat mount, thru axle 12x100  |
| SHIFTER            | Shimano Ultegra hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra SS 11sp top normal shadow design, direct attachment, compatible with low gear 25-30T for double  |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11-speed, down swing, band type (34.9mm), CS angle: 61-66 for 46/53T cl: 43,5mm  |
| CRANKSET           | Shimano FC-R8000, Ultegra hollowtech II, for rear 11- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter  |
| CHAIN              | Shimano Ultegra CN-HG701-11, for 11-speed [road/mtb compatible], w/o end pin, w/ampoule type connect pin X1  |
| CASSETTE/FREEWHEEL | Shimano CS-R8000, Ultegra 11sp, 11-12-13-14-15-17-19-21-24-27-30T  |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT800 center lock 160mm, Rotor for disc-brake   |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake<br>R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11  |
| TIRE               | Pirelli P7, 700 x 28c, 60TPI   |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm   |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look with Bianchi logo   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fi:zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm   |



## ARIA - ULTEGRA DI2 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB38  |
| COLOR              | PX: :Summertime dream/Black Full Glossy  |
| FRAME              | Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube  |
| FORK               | Full Carbon Aero Road 1.4" x 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | Shimano Ultegra Di2 hydraulic disc brake for road. Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm. Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm. Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2. Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, 34T Max Low Sprocket  |
| FRONT DERAILLEUR   | Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp  |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)<br>Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)  |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm   |
| CRANKSET           | Shimano Ultegra 12sp, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano Ultegra, CN-M8100, 112link for HG 12- speed  |
| CASSETTE/FREEWHEEL | Shimano CS-R8100, Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-R8170 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano RT-MT800 center lock type w/lce Tech, 160mm front rear   |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, height 34mm, 24 spokes steel ED black round, bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11  |
| TIRE               | Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding   |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm   |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44, 300mm-47/50, 350mm-53/61, EL271 alloy 6061 clamp  |
| SADDLE             | Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm  |

## ARIA - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRB39   |
| COLOR              | 5K: CK16/ Black Full Glossy   |
| FRAME              | Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame   |
| HEADSET            | Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube   |
| FORK               | Full Carbon Aero Road 1.4"x1.1/8" integrated head , Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose<br>Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts |
| REAR DERAILLEUR    | Sram RIVAL ETAP AXS D1 MAX 36T  |
| FRONT DERAILLEUR   | Sram RIVAL ETAP AXS D1 BRAZE  |
| CHARGER/PWRCABLE   | Included in the battery   |
| CRANKSET           | Sram RIVAL D1 DUB 165 - 170 - 172,5 - 175, 46/33, Crank Length: 165mm-44cm; 170mm-47/54cm; 172.5mm-55/59cm; 175mm-61cm  |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41   |
| CHAIN              | Sram RIVAL D1 12S   |
| CASSETTE/FREEWHEEL | Sram CS XG 1250 D1 10-36T   |
| BRAKE              | included in the shifter   |
| DISC ROTOR         | Sram Rotor centerlock centerline Road 160mm black rounded   |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR   |
| TIRE               | Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding  |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm  |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm   |
| GRIP/TAPE          | Ribbon cork + new plug carbon look  |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp   |
| SADDLE             | Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm   |



## ARIA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB9D  |
| COLOR              | 5K: CK16/ Black Full Glossy<br>PX: :Summertime dream/Black Full Glossy   |
| FRAME              | Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube  |
| FORK               | Full Carbon Aero Road 1.4"x1.1/8" integrated head, Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | Shimano Ultegra hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 44-47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 44-47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T for double  |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, 61-66°, for 46/53T cl: 43,5mm  |
| CRANKSET           | Shimano FC-R8000, Ultegra hallowtech 2, for rear 11- speed, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-15-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT800 center lock 160mm, Rotor for disc-brake, SM-RT800, S 160mm, w/lock ring   |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round, bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11  |
| TIRE               | Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding   |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm   |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look with Bianchi logo   |
| SEATPOST           | Reperto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp  |
| SADDLE             | Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm  |

## ARIA - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB8D  |
| COLOR              | 5K: CK16/ Black Full Glossy<br>2R: Black/ Brillant Graphite Full Glossy  |
| FRAME              | Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4" - 1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube   |
| FORK               | Full Carbon Aero Road 1.4" x 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100   |
| SHIFTER            | Shimano 105 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose (SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 black<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R7000, 105, SS 11-speed, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, cs-angle: 61-66, for top gear: 46-53T, CL :43.5mm  |
| CRANKSET           | Shimano FC-R7000, 105, for rear 11-speed, hollowtech II, 50x34T w/o CG, w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-15-17-19-21-24-27-30T   |
| BRAKE              | Shimano BR-RS505 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock, with Ice Technology, S 160mm w/lock ring   |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round, bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11  |
| TIRE               | Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding   |
| STEM               | ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm   |
| HANDLEBAR          | RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp  |
| SADDLE             | Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm  |



# INFINITO



IC: CK16/Dark Turquoise Full Glossy



**NEW COLOR**



**NEW LOGO**

# INFINITO



IC: CK16/Dark Turquoise Full Glossy



**NEW COLOR**



**NEW LOGO**



## INFINITO - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB50  |
| COLOR              | IC:CK16/Dark Turquoise Full Glossy   |
| FRAME              | INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes ), stack height 11,8mm  |
| FORK               | Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire   |
| SHIFTER            | Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose<br>RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts |
| REAR DERAILLEUR    | Sram RIVAL ETAP AXS D1 MAX 36T   |
| FRONT DERAILLEUR   | Sram RIVAL ETAP AXS D1 BRAZE   |
| CHARGER/PWRCABLE   | Included in the battery  |
| CRANKSET           | Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172,5mm-55/59cm, 175mm-61cm   |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41  |
| CHAIN              | Sram RIVAL D1 12S  |
| CASSETTE/FREEWHEEL | Sram CS XG 1250 D1 10-36T  |
| BRAKE              | included in the shifter  |
| DISC ROTOR         | Sram Rotor centerlock centerline Road 160mm black rounded  |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR  |
| TIRE               | Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding   |
| STEM               | ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm  |
| HANDLEBAR          | JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug   |
| SEATPOST           | Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp   |
| SADDLE             | Fi'zi:k Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy  |

## INFINITO - ULTEGRA DI2 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBZ5   |
| COLOR              | IC:CK16/Dark Turquoise Full Glossy<br>IB: Soft Black/Black Full Matt  |
| FRAME              | INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame   |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm   |
| FORK               | Full Carbon-CV - 28" -300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire   |
| SHIFTER            | Shimano Ultegra Di2 hydraulic disc brake for road . Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm. Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm. Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2. Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket   |
| FRONT DERAILLEUR   | Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp   |
| ELECTRIC CABLE     | Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)<br>Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)   |
| CHARGER/PWRCABLE   | Shimano Charging cable, EW-EC300, 1700mm  |
| CRANKSET           | Shimano FC-R8100, Ultegra hollowtech II, for rear 12- speed, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing  |
| CHAIN              | Shimano Ultegra 12 sp, CN-M8100, 114link for HG 12- speed   |
| CASSETTE/FREEWHEEL | Shimano CS-R8100,Ultegra 12sp, 11-12-13-14-16-18-20-22-25-28-32T  |
| BRAKE              | Shimano BR-R8170 Hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included  |
| DISC ROTOR         | Shimano RT-MT800 center lock type w/lce Tech, 160mm front rear, with lock ring  |
| RIM/WHEELSET       | Fulcrum Racing 400 disc brake<br>R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11   |
| TIRE               | Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding  |
| STEM               | ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm   |
| HANDLEBAR          | JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm  |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug  |
| SEATPOST           | Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp  |
| SADDLE             | Fi'zi:k Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy   |



## INFINITO - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB54  |
| COLOR              | IC:CK16/Dark Turquoise Full Glossy<br>IB: Soft Black/Black Full Matt   |
| FRAME              | INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm  |
| FORK               | Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire   |
| SHIFTER            | Shimano Ultegra hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double   |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm  |
| CRANKSET           | Shimano FC-R8000, Ultegra hollowtech 2, for rear 11sp, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61/63cm  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano Ultegra CN-HG701-11, for 11-speed, w/o end pin, w/ampoule type connect pin X1  |
| CASSETTE/FREEWHEEL | Shimano CS-R8000, Ultegra 11sp, 11-12-13-14-16-18-20-22-25-28-32T  |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT800 center lock 160mm<br>Rotor for disc-brake, SM-RT800, S 160mm, w/lock ring   |
| RIM/WHEELSET       | Trimax 30 disc brake 700X19c, Hubs SC ,clincher, front 12X100 - rear 12X142 HG   |
| TIRE               | Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding   |
| STEM               | ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm  |
| HANDLEBAR          | JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug<br>Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug   |
| SEATPOST           | Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp   |
| SADDLE             | Fizik Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy  |

## INFINITO - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |   |
|------------------|---|
| CODE             | XRB24   |
| COLOR            | IC:CK16/Dark Turquoise Full Glossy, *Tavolozza colours  |
| FRAME            | INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 44-47-50-53-55-57-59-61cm |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo   |
| HEADSET          | Fsa Orbit C-40-ACB ; NO.42/47/CF/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes ); top cover carbon (H2041)  |
| FORK             | Full Carbon-CV - 28"-300mm - 1.5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire  |
| SEATPOST         | Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback: 25mm/+10mm             |



## INFINITO XE - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB5D  |
| COLOR              | 5K: CK16/ Black Full Glossy<br>5H: Black/ CK16 Graphite Full Glossy  |
| FRAME              | INFINITO carbon - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm   |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes), stack height 11,8mm   |
| FORK               | Full Carbon - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle   |
| SHIFTER            | Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose<br>RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts |
| REAR DERAILLEUR    | Sram RIVAL ETAP AXS D1 MAX 36T   |
| FRONT DERAILLEUR   | Sram RIVAL ETAP AXS D1 BRAZE   |
| CHARGER/PWRCABLE   | Included in the bottery  |
| CRANKSET           | RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Sram Press fit Road 86,5x41  |
| CHAIN              | Sram RIVAL D1 12S  |
| CASSETTE/FREEWHEEL | Sram CS XG 1250 D1 10-36T  |
| BRAKE              | included in the shifter  |
| DISC ROTOR         | Rotor centerlock centerline Road 160mm black rounded   |
| RIM/WHEELSET       | Fulcrum Racing 818 disc brake<br>Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round, bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR   |
| TIRE               | Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding   |
| STEM               | Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, L350-380mm, 350mm-47/57cm; 380mm-59/61cm   |
| SADDLE             | Velomann 1966 rail steel black, open, cover PU, lenght/wide 250x148mm  |

## INFINITO XE - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB6D  |
| COLOR              | 5K: CK16/ Black Full Glossy<br>5H: Black/ CK16 Graphite Full Glossy  |
| FRAME              | INFINITO carbon - 1.1/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1.1/8" ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm   |
| FORK               | Full Carbon - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle   |
| SHIFTER            | Shimano Ultegra hydraulic disc brake for road<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53<br>Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R), rear flat mount, w/o adapter for 25mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double   |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, 61-66° for 46/53T cl: 43,5mm   |
| CRANKSET           | Shimano FC-R8000, Ultegra hollowtech II, for rear 11sp, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm  |
| BOTTOM BRACKET     | Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-HG701-11, for 11-speed, w/o end pin, w/ampoule type connect pin X1  |
| CASSETTE/FREEWHEEL | Shimano CS-R8000, Ultegra 11sp, 11-12-13-14-16-18-20-22-25-28-32T  |
| BRAKE              | Shimano BR-R8070 Hydraulic disc brake<br>included in the shifter   |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT800 center lock 160mm, Rotor for disc-brake, SM-RT800, S 160mm  |
| RIM/WHEELSET       | Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11   |
| TIRE               | Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0  |
| STEM               | Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm, 380mm-59/61cm   |
| SADDLE             | Velomann I966 rail steel black, open, cover PU, lenght/wide 250x148mm  |



## INFINITO XE - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB7D  |
| COLOR              | 5K: CK16/ Black Full Glossy<br>5H: Black/ CK16 Graphite Full Glossy  |
| FRAME              | INFINITO carbon - 1 1/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes ), stack height 11,8mm  |
| FORK               | Full Carbon - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle   |
| SHIFTER            | Shimano 105 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm  |
| CRANKSET           | Shimano FC-R7000, 105, for rear 11sp, hollowtech II, 50x34T w/o CG, w/o BB parts, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm  |
| BOTTOM BRACKET     | Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T   |
| BRAKE              | Shimano BR-RS505 flat mount hydraulic disc brake<br>included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm  |
| RIM/WHEELSET       | Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11   |
| TIRE               | Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding   |
| STEM               | Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm, 380mm-59/61cm   |
| SADDLE             | Velomann 1966 rail steel black, open, cover PU, lenght/wide 250x148mm  |

## VIA NIRONE 7 - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB4C  |
| COLOR              | ND: CK16/Titanium Silver Full Glossy<br>N2: Serial Black/Titanium Silver Full Glossy   |
| FRAME              | VIA NIRONE 7 alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, diam. 35mm  |
| HEADSET            | Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano 105 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm, Clamp band adapter, SM-AD91, L-size(34.9mm)   |
| CRANKSET           | Shimano FC-RS510 11sp, 2-pcs FC, w/BB parts (BSA), Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm   |
| BOTTOM BRACKET     | included in the crankset   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T  |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT64 rotor for disc brake center lock , S 160mm   |
| FRONT HUB          | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB           | Formula RXC-142S road disc , center lock, J-bend, thru axle 12x142mm   |
| RIM/WHEELSET       | Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready  |
| TIRE               | Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo, w/o cork   |
| SADDLE             | Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm   |



## VIA NIRONE 7 - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBW7  |
| COLOR              | ND: CK16/Titanium Silver Full Glossy<br>N2: Serial Black/Titanium Silver Full Glossy   |
| FRAME              | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm   |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, diam. 35mm  |
| HEADSET            | Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano 105 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53<br>- Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black<br>Small parts for SM-BH90 |
| REAR DERAILLEUR    | Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm, Clamp band adapter, SM-AD91, L-size(34.9mm)   |
| CRANKSET           | Shimano FC-RS510 11sp, 2-pcs FC, w/BB parts (BSA), Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm   |
| BOTTOM BRACKET     | included in the crankset   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T  |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT64 rotor for disc brake center lock , S 160mm   |
| FRONT HUB          | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB           | Formula RXC-142S road disc , center lock, J-bend, thru axle 12x142mm   |
| RIM/WHEELSET       | Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready  |
| TIRE               | Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo, w/o cork   |
| SADDLE             | Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm   |

## VIA NIRONE 7 - SORA 9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRB34   |
| COLOR              | ND: CK16/Titanium Silver Full Glossy<br>N2: Serial Black/Titanium Silver Full Glossy  |
| FRAME              | VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp  |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Carbon Alu with Kevlar in front leg - 1.1/8" 300mm  |
| SHIFTER            | Shimano Sora<br>ST-R3000, Sora left, 2-speed, w/1800mm SL inner(pre-assembled) w/o (outer, outer stopper)<br>ST-R3000, Sora right, 9-speed, w/2100mm SL inner(pre-assembled) w/o (outer, outer stopper cable guide) |
| REAR DERAILLEUR    | Shimano Sora RD-R3000 Rear derailleur for 9-speed, GS cage, Max low sprocket 34T  |
| FRONT DERAILLEUR   | Shimano Sora FD-R3000 for 9-speed, band type 34.9mm for double chainwheel   |
| CRANKSET           | Shimano FC-R345-L double 170-175mm 50x34T for rear 9-speed octalink, w/o CGk, Length: 170mm-44/57cm, 175mm - 59/63cm  |
| BOTTOM BRACKET     | Shimano BB-ES300 spindle / hollow - type axle BSA 68mm-113 w/o fixing bolt  |
| CHAIN              | Kmc X9 9sp, 10L(44-57); 112L (59-63) 1/2"11/128"  |
| CASSETTE/FREEWHEEL | Shimano CS-HG400-9 9sp, 11-12-14-16-18-21-24-28-32T   |
| BRAKE              | Velomann VM476 - new mechanical ratio, Forged Alloy Dual-Pivot caliper with quick release (F+R) brake (39-52mm), w/cartridge pad (CT-360)   |
| BRAKE LEVER        | included  |
| FRONT HUB          | Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108mm, 28H, w/qr 22 112L  |
| REAR HUB           | Formula RB-55 alloy sealed bearing rear hub 2SB, 14G*130*140mm, 28H, w/qr 22 144L, Shimano 8/9/10 speed   |
| RIM/WHEELSET       | Velomann ABR-1700C 622x17, 2-14H F/V, alloy double wall black anodized, w/cnc side wall, w/o eyelet, pin join, pair spoke   |
| TIRE               | Vittoria Zaffiro V 25-622, 700 x 25cc, 26TPI, rigid   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm  |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 300mm-44/46, 350mm-50/63cm   |
| SADDLE             | Selle Royal Velomann 2075HRN, steel rail, cover PVC, length/wide 280x145mm  |



## VIA NIRONE 7 - CLARIS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRBK2   |
| COLOR              | ND: CK16/Titanium Silver Full Glossy<br>N2: Serial Black/Titanium Silver Full Glossy  |
| FRAME              | VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp  |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Carbon Alu with Kevlar in front leg - 1.1/8" 300mm  |
| SHIFTER            | Shimano Sora<br>ST-R3000, Sora left, 2-speed, w/1800mm SL inner(pre-assembled) w/o (outer, outer stopper)<br>ST-R3000, Sora right, 9-speed, w/2100mm SL inner(pre-assembled) w/o (outer, outer stopper cable guide) |
| REAR DERAILLEUR    | Shimano Sora RD-R3000 Rear derailleur for 9-speed, GS cage, Max low sprocket 34T  |
| FRONT DERAILLEUR   | Shimano Sora FD-R3000 for 9-speed, band type 34.9mm for double chainwheel   |
| CRANKSET           | Shimano FC-R345-L double 170-175mm 50x34T for rear 9-speed octalink, w/o CGk, Length: 170mm-44/57cm, 175mm - 59/63cm  |
| BOTTOM BRACKET     | Shimano BB-ES300 spindle / hollow - type axle BSA 68mm-113 w/o fixing bolt  |
| CHAIN              | Kmc X9 9sp, 10L(44-57); 112L (59-63) 1/2"11/128"  |
| CASSETTE/FREEWHEEL | Shimano CS-HG400-9 9sp, 11-12-14-16-18-21-24-28-32T   |
| BRAKE              | Velomann VM476 - new mechanical ratio, Forged Alloy Dual-Pivot caliper with quick release (F+R) brake (39-52mm), w/cartridge pad (CT-360)   |
| BRAKE LEVER        | included  |
| FRONT HUB          | Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108mm, 28H, w/qr 22 112L  |
| REAR HUB           | Formula RB-55 alloy sealed bearing rear hub 2SB, 14G*130*140mm, 28H, w/qr 22 144L, Shimano 8/9/10 speed   |
| RIM/WHEELSET       | Velomann ABR-1700C 622x17, 2-14H F/V, alloy double wall black anodized, w/cnc side wall, w/o eyelet, pin join, pair spoke   |
| TIRE               | Vittoria Zaffiro V 25-622, 700 x 25cc, 26TPI, rigid   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm  |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, length: 300mm-44/46, 350mm-50/63cm   |
| SADDLE             | Selle Royal Velomann 2075HRN, steel rail, cover PVC, length/wide 280x145mm  |

## VIA NIRONE 7 - CLARIS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBK1  |
| COLOR              | ND: CK16/Titanium Silver Full Glossy<br>N2: Serial Black/Titanium Silver Full Glossy   |
| FRAME              | VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55-57cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp   |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube   |
| FORK               | Full Carbon Kvid 1 1/8 Ahead L300  |
| SHIFTER            | Shimano Claris, ST-R2000-L, Claris, left 2-speed, w/1800mm sl inner (pre-assembled) w/o (outer, outer stopper), ST-R2000-R, Claris, right 8-speed, w/2100mm sl inner (pre-assembled) w/o (outer, outer stopper, cable guide) |
| REAR DERAILLEUR    | Shimano RD-R2000, Claris, cage GS 8-speed direct attachment, max sprocket 34T  |
| FRONT DERAILLEUR   | Shimano FD-R2000, Claris for rear 8-speed, band-type 34.9mm, for double chainwheel   |
| CRANKSET           | Shimano FC-RS200 170-175mm square type, 50X34T for rear 8-speed, w/o cg, Crank Length: 170mm-44/57cm, 175mm-59/63cm  |
| BOTTOM BRACKET     | CH-52 cartridge bottom bracket, axle:LL111, shell: BSA 68mm, w/fixing bolt   |
| CHAIN              | Kmc Z8 1/8"X3/32" for 8sp, 110L (44/46/50); 112L (53/57/59/61/63)  |
| CASSETTE/FREEWHEEL | Shimano CS-HG200-8, 8-SPEED, 12-14-16-18-21-24-28-32[BR]   |
| BRAKE              | Melt forged Alloy Dual-Pivot caliper brake, Quick release mechanism, F+R 39-51mm, w/cartridge pad P-473  |
| BRAKE LEVER        | included   |
| FRONT HUB          | Formula RB-51 alloy ball bearing 28h, O.L.D:100, finish black,w/gr 22 W/O logo   |
| REAR HUB           | Formula RB-52 alloy ball bearing 28h, O.L.D:130, for 8/9/10sp finish black,w/gr 22 w/o logo  |
| RIM/WHEELSET       | Velomann ABR-1 700C 622x17, 2-14H F/V, alloy double wall black anodized, w/cnc side wall, w/o eyelet, pin join, pair spoke   |
| TIRE               | Kenda Kriterium 25-622, 700 x 25cc, 26TPI, rigid   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm  |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork  |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 300mm-44/46, 350mm-50/63cm  |
| SADDLE             | Selle Royal Velomann 2075HRN, steel rail, cover PVC, length/wide 280x145mm   |



## VIA NIRONE 7 - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                      |   |
|----------------------|---|
| CODE                 | YRBJLC  |
| COLOR                | ND: CK16/Titanium Silver<br>N2: Black/Titanium Silver   |
| FRAME                | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam.31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57cm  |
| SEATPOST CLAMP       | MX-112C Aluminium clamp, light weight, 35mm anti-crimp  |
| HEADSET              | Fsa NO.88/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube  |
| FORK                 | Carbon 1 1/8", flat mount, disc brake, thru axle 12x100mm   |
| SHIFTER              | Shimano 105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct, 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47cm - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47cm. Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black. Small parts for SM-BH90 |
| REAR DERAILLEUR      | Shimano RD-R7000, 105, GS 11sp, top normal shadow design, direct attachment   |
| FRONT DERAILLEUR     | Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm, Clamp band adapter, SM-AD91, L-size(34.9mm)  |
| CRANKSET             | Shimano FC-RS510 11-speed, 2-pcs FC, 50x34T, w/BB parts (BSA), Crank Length: 165mm-47cm, 170mm-50/55cm, 172.5mm-55cm  |
| BOTTOM BRACKET       | included in the crankset  |
| CHAIN                | Kmc X11-1 EPT, 11sp, EPT finish   |
| CASSETTE / FREEWHEEL | Shimano CS-R7000, 105, 11-SPEED, 11-12-13-14-16-18-20-22-25-28-32T  |
| BRAKE                | Shimano BR-R7070 flat mount hydraulic disc brake, included in the shifter   |
| BRAKE LEVER          | included  |
| DISC ROTOR           | Shimano SM-RT64 rotor for disc brake center lock, S 160mm   |
| RIM/WHEELSET         | Shimano WH-RS171. F:28H/R:28H, for 11/10sp, OLD:100/142mm, F/R:12mm E-THRU, clincher 622x19C, for CL Disc, 5 sets   |
| TIRE                 | Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI   |
| STEM                 | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57cm  |
| HANDLEBAR            | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 380mm-47cm, 400mm-50/53cm, 420mm-55cm, 440mm-57cm  |
| GRIP / TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork<br>color: Black   |
| SEATPOST             | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm  |
| SADDLE               | Velomann 2075HRN, steel rail, cover PVC, length/wide 280x145mm  |

## VIA NIRONE 7 - SORA 9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                      |  |
|----------------------|--|
| CODE                 | YRBJKC   |
| COLOR                | ND: CK16/Titanium Silver<br>N2: Black/Titanium Silver  |
| FRAME                | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam.31.6mm, flat mount disc brake, OLD 135mm, QR, 40mm tire clearance, rear QR, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57cm   |
| SEATPOST CLAMP       | MX-112C Aluminium clamp, light weight, 35mm anti-crimp   |
| HEADSET              | Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube   |
| FORK                 | Carbon 1 1/8, flat mount, disc brake, thru axle 12x100mm   |
| SHIFTER              | Shimano Sora<br>ST-R3000, Sora left, 2-speed, w/1800mm SL inner(pre-assembled) w/o (outer, outer stopper)<br>ST-R3000, Sora right, 9-speed, w/2100mm SL inner(pre-assembled) w/o (outer, outer stopper cable guide)<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR      | Shimano Sora RD-R3000 for 9-speed, GS cage, direct attachment, Max low sprocket 34T  |
| FRONT DERAILLEUR     | Shimano Sora FD-R3000 for 9sp, band type 34.9mm for double chainwheel  |
| CRANKSET             | FC-R345-L double 170-175mm 50x34T for rear 9-speed octalink , w/o CG, Crank Length: 170mm-44/57cm  |
| BOTTOM BRACKET       | Shimano BB-ES300 bottom bracket, BB-ES300 spindle / hollow - type axle BSA 68mm-113 w/o fixing bolt  |
| CHAIN                | Kmc X9, 9sp  |
| CASSETTE / FREEWHEEL | Shimano CS-HG400-9 9sp, 11-13-15-17-20-23-26-30-34T  |
| BRAKE                | Shimano BR-RS305<br>- Cable disc brake, BR-RS305, front w/K02S resin pad (w/o fin), w/bracket for 160mm rotor, black<br>- Cable disc brake, BR-RS305, rear, w/K02S resin pad (w/o fin), w/fixing bolt for mount thickness 20mm, black  |
| BRAKE LEVER          | included   |
| DISC ROTOR           | Shimano SM-RT64 rotor for disc brake center lock , S 160mm w/lock  |
| FRONT HUB            | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB             | Formula CL-26 disc brake road, alloy sealed bearing rear hub 2SB, J-Bend 32h, 135mm*145mm qr, steel body, for Shimano 8/9/10-speed, center lock w/alloy qr-22  |
| RIM/WHEELSET         | Velomann ATD470 Alloy 6061 disc, 700c, 622x17, 22mm height compatible with tire 32mm, pin join, 32 hole, tubeless ready, no eyelet, black w/ Velomann graphics   |
| TIRE                 | Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI  |
| STEM                 | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57cm   |
| HANDLEBAR            | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/57cm  |
| GRIP / TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork  |
| SEATPOST             | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm   |
| SADDLE               | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm   |



## ARCADEX - GRX Di2 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBX6  |
| COLOR              | GX: CK16/Blue notes Full Glossy<br>GY: Gold Storm/Blue notes Full Glossy   |
| FRAME              | CARBON ALL ROAD 1.5" aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | Fsa SMR HS with 1.1/8" custom top cone Bianchi, H2475<br>Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB   |
| FORK               | Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano GRX 815 Di2 11sp Hydraulic disc brake<br>DISC BRAKE ASSEMBLED SET/J-kit DIRECT, GRX, ST-RX815(L), BR-RX810(F), FOR 160MM ROTOR, RESIN PAD(W/FIN), 1000MM HOSE(SM-BH90 BLACK)<br>DISC BRAKE ASSEMBLED SET/J-kit DIRECT, GRX, ST-RX815(R), BR-RX810(R), W/O ADAPTER, FOR 25MM MNT, RESIN PAD(W/FIN), 1700MM HOSE(SM-BH90 BLACK)<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano GRX RX 817 Di2, RD-RX817, 11sp, top normal shadow plus design, direct attachment   |
| CRANKSET           | Shimano FC-RX810-1, GRX, 11-speed, HOLLOWTECH II, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road  |
| CHAIN              | Shimano Ultegra, CN-HG701-11, for 11-speed, 116 links, w/o end pin, w/ampoule type connect pin X1  |
| CASSETTE/FREEWHEEL | Shimano XT 11sp, CS-M8000, DEORE XT, 11-13-15-17-19-21-24-28-32-37-42, BULK  |
| BRAKE              | Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT800 center lock diam.160mm  |
| RIM/WHEELSET       | Fulcrum Rapid Red 500 DB 2WF-R C23 AFS, alloy, 2-Way fit Ready, rim profile 24mm, width 28mm, 24 spokes, HH12- rear HH12/142 HG  |
| TIRE               | WTB Riddler Race 700 x 37c, Dual DNA Compound, 60tpi Casing, Aramid Bead   |
| STEM               | Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061, 1 1/4", raise 0°, Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL   |
| HANDLEBAR          | JD-RA120A Aero shape, Aluminum 6061, reach 70mm, flare angle 16°, drop cc 130mm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look with Bianchi logo   |
| SEATPOST           | SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 31,6mm, Length: 300mm-XS, 350mm-S/M/L/XL, FSA Sleeve Di2 31.6mm   |
| SADDLE             | Fizik Argo Terra R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy  |

## ARCADEX - GRX 810 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBX2  |
| COLOR              | GX: CK16/Blue notes Full Glossy<br>GY: Gold Storm/Blue notes Full Glossy   |
| FRAME              | CARBON ALL ROAD 1.5" aheadset ,seat post diam.31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | FSA SMR HS with 1.1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB   |
| FORK               | Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano GRX 810 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , GRX, BL-RX810(L), BR-RX810(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black)<br>- Disc-brake assembled set/J-kit direct, GRX, ST-RX810(R), BR-RX810(R), for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX812, GRX 11-speed, top normal shadow plus design, direct attachment, direct mount compatible  |
| CRANKSET           | Shimano FC-RX810-1, GRX, 11-speed, HOLLOWTECH II, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL  |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover  |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T  |
| BRAKE              | Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring  |
| FRONT HUB          | Shimano HB-RS470, road disc, center lock 32h for 12mm Thru axle type (w/o axle), OLD:100mm, w/o rotor mount cover, w/o lock ring   |
| REAR HUB           | Shimano FH-RS470, road disc, center lock (w/o lock ring) 10/11sp for 12mm Thru axle type (w/o axle), 32h OLD:142mm, w/o rotor mount cover  |
| RIM/WHEELSET       | GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo  |
| TIRE               | WTB Riddler Comp 700 x 37c, 30tpi Casing, Wire Bead, Tan sidewall, W110-1045   |
| STEM               | Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061 , 1 1/4", raise 0°, plastic adaptor for hose cover 1 1/4", Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL   |
| HANDLEBAR          | 68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS, 350mm-S/M/L/XL   |
| SADDLE             | Selle Royal Reparto Corse 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm   |



## ARCADEX - GRX 600 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBX3  |
| COLOR              | GX: CK16/Blue notes Full Glossy<br>GY: Gold Storm/Blue notes Full Glossy   |
| FRAME              | CARBON ALL ROAD 1.5" aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL  |
| SEATPOST CLAMP     | included in the frame  |
| HEADSET            | FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB   |
| FORK               | Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano GRX 600 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, BL-RX600-L(L), BR-RX400(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX812, GRX 11-speed, top normal shadow plus design, direct attachment, direct mount compatible  |
| CRANKSET           | Shimano FC-RX600, GRX, 11sp, 2-pcs FC, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL   |
| BOTTOM BRACKET     | Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing   |
| CHAIN              | Kmc X11-1 EPT, 11sp, EPT finish  |
| CASSETTE/FREEWHEEL | Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T  |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring  |
| FRONT HUB          | Shimano HB-RS470, road disc, center lock 32h for 12mm Thru axle type (w/o axle), OLD:100mm, w/o rotor mount cover, w/o lock ring   |
| REAR HUB           | Shimano FH-RS470, road disc, center lock (w/o lock ring) 10/11sp for 12mm Thru axle type (w/o axle), 32h OLD:142mm, w/o rotor mount cover  |
| RIM/WHEELSET       | GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo  |
| TIRE               | WTB Riddler Comp 700 x 37c, 30tpi Casing, Wire Bead  |
| STEM               | Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061 , 1 1/4", raise 0°, plastic adaptor for hose cover 1 1/4", Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL   |
| HANDLEBAR          | 68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL  |
| GRIP/TAPE          | Ribbon cork + new plug carbon lock   |
| SEATPOST           | SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 300mm-XS, 350mm-S/M/L/XL   |
| SADDLE             | Selle Royal Reparto Corse 2315HRN, rail steel black, open, cover PU, length/wide 250x148mm   |

**IMPULSO PRO**

**NEW PRODUCT**



**IT: Sage Escape**



**COLORS**



**LOGO**



# IMPULSO PRO



IP: CK16 Aquamarine



**COLORS**



**LOGO**

## IMPULSO PRO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRB7C   |
| COLOR              | IP CK16 Aquamarine - IT Sage Escape   |
| FRAME              | Impulso Pro carbon disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142, sizes 48-50-52-54-56-58-cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 31.8mm anti-crimp, finish black  |
| HEADSET            | Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1.1/8" ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy  |
| FORK               | Full carbon 1.5" - 1.1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1.1/8", thru axle 12x100   |
| SHIFTER            | Shimano GRX 600 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , GRX, BL-RX600-L(L), BR-RX400(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black)<br>- Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX812, GRX 11sp, top normal shadow plus design, direct attachment, direct mount compatible   |
| CRANKSET           | Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 40T w/o BB parts, Crank Length: 170mm- 48/52, 172.5mm-54/56, 175mm-58  |
| BOTTOM BRACKET     | Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing  |
| CHAIN              | Shimano CN-HG601-11, for 11-speed, w/end pin  |
| CASSETTE/FREEWHEEL | Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T   |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included  |
| DISC ROTOR         | Shimano SM-RT86 6-bolt type 160mm, Rotor for disc-brake   |
| FRONT HUB          | Formula RX-812 road disc , alloy 32h, 6 bolts, 2SB bearing, J-bend, thru axle 12x100mm, w/o QR w/o logo.  |
| REAR HUB           | Formula RX-300 road disc, 6-BOLT, J-BEND, THRU-AXLE, W/O QR, FOR SHIMANO ROAD 11-SPEED  |



# IMPULSO



IP: CK16 aquamarine



**NEW COLOR**




**NEW LOGO**



**IMPULSO**



**AK:** Green Salamander



**NEW COLOR**



**NEW LOGO**



**IMPULSO**



**AG:** Blue Smoke



**NEW COLOR**



**NEW LOGO**

## IMPULSO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBIC  |
| COLOR              | AG: blue smoke, AK green salamander, IP CK16 aquamarine  |
| FRAME              | TC17-IMPULSO ALL ROAD ALU 1 1/8 aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition, sizes 47-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp   |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube   |
| FORK               | Full Carbon 1 1/8, flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano GRX 600 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , GRX, ST-RX600(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black)<br>- Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment   |
| FRONT DERAILLEUR   | Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66", for top gear:46-50T, CL:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)   |
| CRANKSET           | Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 46-30T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm  |
| BOTTOM BRACKET     | Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-HG601-11, for 11sp, w/ end pin  |
| CASSETTE/FREEWHEEL | Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T  |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring  |
| FRONT HUB          | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB           | Formula RXC-142S road disc , center lock, J-bend, thru axle 12x142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed   |
| RIM/WHEELSET       | Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet   |
| TIRE               | Kenda Alluvium 700x40, 60TPI, black colour, K1226  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm-61/63   |
| GRIP/TAPE          | Ribbon cork + new plug carbon look   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 350mm-47/63cm   |
| SADDLE             | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm   |



## IMPULSO - GRX 810 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |   |
|--------------------|---|
| CODE               | YRB8C   |
| COLOR              | IP: CK16 aquamarine   |
| FRAME              | TC17-IMPULSO ALL ROAD ALU 1.1/8 aheadset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition, sizes 47-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp  |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Full Carbon 1"1/8, flat mount, disc brake, thru axle 12x100mm   |
| SHIFTER            | Shimano GRX 810 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX810(L), BR-RX810(F) for 160mm rotor, resin (w/fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX810(R), BR-RX810(R) w/o adapter, for 20mm mount thickness, resin (w/fin), 1700mm hose (SM-BH90 black) + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment  |
| FRONT DERAILLEUR   | Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66", for top gear:46-50T, CL:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)  |
| CRANKSET           | Shimano FC-RX810-2, GRX, 11sp, holloetech II, 170-172.5-175mm, 48-31T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing  |
| CHAIN              | Shimano CN-HG601-11, for 11-speed, w/end pin  |
| CASSETTE/FREEWHEEL | Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T   |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter   |
| BRAKE LEVER        | included  |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring   |
| FRONT HUB          | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing   |
| REAR HUB           | Formula RXC-142S road disc , center lock, J-bend, thru axle 12x142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed  |
| RIM/WHEELSET       | Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet  |
| TIRE               | Kenda Alluvium 700x40, 60TPI, K1226   |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm  |
| HANDLEBAR          | Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-47/50/53, 42cm 55/57/59, 44cm 61/63  |
| GRIP/TAPE          | Ribbon cork + new plug carbon look  |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 350mm-47/63cm  |
| SADDLE             | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm  |

**VIA NIRONE 7**



**GU:** CK16/Blue Peacock Full Glossy



**NEW COLOR**



**NEW LOGO**



**VIA NIRONE 7**



**GV:** Green Forest/Bronze Mirror Full Glossy



**NEW COLOR**



**NEW LOGO**

## VIA NIRONE 7 - GRX 400 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB62  |
| COLOR              | GU: CK16/Blue Peacock Full Glossy<br>GV: Green Forest/Bronze Mirror Full Glossy  |
| FRAME              | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam.31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp   |
| HEADSET            | Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube   |
| FORK               | Carbon 1 1/8, flat mount, disc brake, thru axle 12x100mm   |
| SHIFTER            | Shimano GRX 400 10sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX400(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX400(R), BR-RX400(R) w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black). Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILEUR     | Shimano RD-RX400, GRX, 10-speed, top normal, shadow plus design, direct attachment   |
| FRONT DERAILEUR    | Shimano FD-RX400, GRX, for 10-speed, down-swing, down-pull, braze-on type, 61-66°, for top gear: 46T, cl:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)   |
| CRANKSET           | Shimano FC-RX600, GRX, for rear 10-speed, 2-pcs fc, 170-172-175mm, 46-30T w/BB parts (BSA), Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm  |
| BOTTOM BRACKET     | included in the crankset   |
| CHAIN              | Shimano CN-HG54 super narrow HG 10-speed 116 links, w/end pin  |
| CASSETTE/FREEWHEEL | Shimano CS-HG500-10-speed, 11-13-15-17-19-21-23-26-30-34T  |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT64 rotor for disc brake center lock , S 160mm w/lock ring (2pcs)  |
| FRONT HUB          | Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB           | Formula RXC-142S road disc , center lock, J-bend, thru axle 12x142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed   |
| RIM/WHEELSET       | Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet   |
| TIRE               | Kenda Alluvium 700x40, 60TPI, K1226  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm 61/63   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork  |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm   |
| SADDLE             | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm   |



## VIA NIRONE 7 - SORA 9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB2C  |
| COLOR              | 5K: CK16/Black Full Glossy (Pending)<br>3C: Black/Titanium Full Matt (Pending)   |
| FRAME              | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, OLD 135mm, QR, 40mm tire clearance, rear QR, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm   |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp   |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube   |
| FORK               | Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm  |
| SHIFTER            | Shimano Sora, ST-R3000, Sora left, 2-speed, w/1800mm SL inner(pre-assembled) w/o (outer, outer stopper)<br>ST-R3000, Sora right, 9-speed, w/2100mm SL inner(pre-assembled) w/o (outer, outer stopper cable guide)<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano Sora, RD-R3000 for 9-speed, GS cage, direct attachment, Max low sprocket 34T   |
| FRONT DERAILLEUR   | Shimano Sora FD-R3000 for 9-speed, band type 34.9mm for double chainwheel  |
| CRANKSET           | Shimano FC-R345-L double 170-175mm 50x34T for rear 9-speed octalink, w/o CG, black, Crank Length: 170mm-44/57cm, 175mm - 59/63cm   |
| BOTTOM BRACKET     | Shimano BB-ES300, bottom bracket, BB-ES300 spindle / hollow - type axle BSA 68mm-113 w/o fixing bolt   |
| CHAIN              | Kmc X9 110links 9sp  |
| CASSETTE/FREEWHEEL | Shimano CS-HG400-9, 11-13-15-17-20-23-26-30-34T  |
| BRAKE              | Shimano BR-RS305<br>- Cable disc brake, BR-RS305, front w/K02S resin pad (w/o fin), w/bracket for 160mm rotor, black<br>- Cable disc brake, BR-RS305, rear, w/K02S resin pad (w/o fin), w/fixing bolt for mount thickness 20mm, black  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT64 rotor for disc brake center lock, S 160mm w/lock ring  |
| FRONT HUB          | Formula CL-712 road disc, alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing   |
| REAR HUB           | Formula CL-26 disc brake road, alloy sealed bearing rear hub 2SB, J-Bend 32h, 135mm*145mm qr, steel body, for Shimano 8/9/10-speed, center lock w/alloy qr-22  |
| RIM/WHEELSET       | Velomann ATD470 Alloy 6061 disc, 700c, 622x17, 22mm height compatible with tire 32mm, pin join, 32 hole, tubeless ready, no eyelet   |
| TIRE               | Kenda Tendril, 700x40c,TPI60, compound SRC, protection Iron Cap  |
| STEM               | Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm   |
| HANDLEBAR          | Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm 61/63   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork  |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm   |
| SADDLE             | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm   |

## VIA NIRONE 7 - CLARIS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.


|                    |   |
|--------------------|---|
| CODE               | YRB6C   |
| COLOR              | 5K: CK16/Black Full Glossy (Pending)<br>3C: Black/Titanium Full Matt (Pending)  |
| FRAME              | VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, OLD 135mm, QR, 40mm tire clearance, rear QR, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm  |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 35mm anti-crimp, finish black, no logo   |
| HEADSET            | Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube  |
| FORK               | Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm   |
| SHIFTER            | Shimano Claris, ST-R2000-L, Claris, left 2-speed, w/1800mm sl inner (pre-assembled) w/o (outer, outer stopper), ST-R2000-R, Claris, right 8-speed, w/2100mm sl inner (pre-assembled) w/o (outer, outer stopper, cable guide), Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano Claris RD-R2000, Claris, cage GS 8-speed direct attachment, max sprocket 34T  |
| FRONT DERAILLEUR   | Shimano FD-R2000, Claris for rear 8-speed, band-type 34.9mm, for double chainwheel  |
| CRANKSET           | Shimano FC-RS200 170-175mm square type, 50X34T for rear 8-speed, w/o cg, crank Length: 170mm-44/57cm, 175mm-59/63cm   |
| BOTTOM BRACKET     |   |
| CHAIN              | Kmc Z8 1/8"x3/32" for 8-speed   |
| CASSETTE/FREEWHEEL | Shimano CS-HG50 8-S, ni-plated 11-13-15-18-21-24-28-34T   |
| BRAKE              | Shimano BR-RS305<br>- Cable disc brake, BR-RS305, front w/K02S resin pad (w/o fin), w/bracket for 160mm rotor, black<br>- Cable disc brake, BR-RS305, rear, w/K02S resin pad (w/o fin), w/fixing bolt for mount thickness 20mm, black   |
| BRAKE LEVER        | included  |
| DISC ROTOR         | Shimano SM-RT64 rotor for disc brake center lock, S 160mm w/lock ring   |
| FRONT HUB          | Formula CL-712 road disc, alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing  |
| REAR HUB           | Formula CL-26 disc brake road, alloy sealed bearing rear hub 2SB, J-Bend 32h, 135mm*145mm qr, steel body, for Shimano 8/9/10-speed, center lock w/alloy qr-22   |
| RIM/WHEELSET       | Velomann ATD470 Alloy 6061 disc, 700c, 622x17, 22mm height compatible with tire 32mm, pin join, 32 hole, tubeless ready   |
| TIRE               | Kenda Tendril, 700x40c, TPI60, compound SRC, protection Iron Cap, wire bead   |
| STEM               | Velomann STI82A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm  |
| HANDLEBAR          | Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm-61/63  |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork   |
| SEATPOST           | Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm  |
| SADDLE             | Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, length/wide 280x145mm  |



**AQUILA**



ID: CK16 Glossy



**NEW COLOR**



**NEW LOGO**

## AQUILA - DURA ACE DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRBF4  |
| COLOR              | ID: CK16 Glossy* Tavolozza colours   |
| FRAME              | AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG, carbon cover   |
| BOLTS/HARDWARE     | AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo  |
| HEADSET            | Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing  |
| FORK               | Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8" 300mm \$46mm  |
| SHIFTER            | Shimano Dura Ace Bar end type, SL-BSR1, Dura-Ace, 2/3x11-speed   |
| REAR DERAILLEUR    | Shimano RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T for double  |
| FRONT DERAILLEUR   | Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, 61-66° for 46/53T cl: 43,5mm   |
| CRANKSET           | Shimano FC-R8000, Ultegra double 165-170-172.5-175mm hollowtech 2, for rear 11- speed, 52x36T w/o BB parts, Crank Length: 165mm-XS, 170mm-SM, 172.5mm-MD, 175mm-LG   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-HG701-11, for 11-speed (road/mtb compatible), 110 links, w/o end pin, w/ampoule type connect pin X1   |
| CASSETTE/FREEWHEEL | Shimano Ultegra 11sp, CS-R8000, Ultegra 11sp, 11-12-13-14-15-17-19-21-23-25-28T  |
| BRAKE              | Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim, front and rear design cable exit  |
| BRAKE LEVER        | Shimano Brake lever BL-TT79, DuraAce, for TT/Triathlon, right or left compatible   |
| RIM/WHEELSET       | Fulcrum Racing 418<br>- R400 front rim Aluminum, H35, welded, C17, rear and front rim Aluminum<br>- HR30 front hub aluminium alloy body and axel, bearing standard tech. industrial - 16 hole for straight pull spokes<br>- HR30 rear hub aluminium alloy body and axel, bearing standard tech. industrial - 21hole for straight pull spokes<br>- HG11 |
| TIRE               | Pirelli P ZERO Road, 700 x 26c, 120TPI, Nylon breaker, Folding   |
| STEM               | included in the handlebar  |
| HANDLEBAR          | Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible   |
| GRIP/TAPE          | Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole, and VLP-56 BK plug  |
| SEATPOST           | Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM, 350mm for MD-LG   |
| SADDLE             | Fizik Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy  |



## AQUILA - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                  |   |
|------------------|---|
| CODE             | XRB28   |
| COLOR            | ID: CK16 Glossy<br>*Tavolozza colours   |
| FRAME            | AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG, carbon cover  |
| BOLTS / HARDWARE | AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo   |
| SEATPOST CLAMP   | included in the frame   |
| HEADSET          | Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing<br>(H0001V4100UP00)   |
| FORK             | Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8"  |
| 8BRAKE           | Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim, front and rear design cable exit |
| STEM             | included in the handlebar   |
| HANDLEBAR        | Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible  |
| SEATPOST         | Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM, 350mm for MD-LG  |

## ZOLDER PRO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                    |  |
|--------------------|--|
| CODE               | YRB51  |
| COLOR              | ZD: CK16/Purple rainbow Full Glossy  |
| FRAME              | ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142, sizes 48-50-52-54-56-58-cm   |
| SEATPOST CLAMP     | MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp   |
| HEADSET            | Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes ); Standard 15mm top cover alloy  |
| FORK               | Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100  |
| SHIFTER            | Shimano GRX 600 11sp Hydraulic disc brake<br>- Disc-brake assembled set/J-kit direct , GRX, ST-RX600(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black)<br>- Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+<br>Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black |
| REAR DERAILLEUR    | Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment   |
| FRONT DERAILLEUR   | Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66°, for top gear:46-50T, CL:46mm  |
| CRANKSET           | Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 170-172.5mm, 46-30T, w/o BB parts, Crank Length: 170mm-48/52cm, 172.5mm-54/58cm   |
| BOTTOM BRACKET     | Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing   |
| CHAIN              | Shimano CN-HG601-11, for 11-speed (road/mtb/e-bike compatible), w/end pin  |
| CASSETTE/FREEWHEEL | Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T   |
| BRAKE              | Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter  |
| BRAKE LEVER        | included   |
| DISC ROTOR         | Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring  |
| RIM/WHEELSET       | Velomann VR30 alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142   |
| TIRE               | Terreno Mix TNT G2.0 33-622/700x33c, nylon 120TPI, foldable  |
| STEM               | Velomann ST199A.2 3D Forged alloy 2014, raise - 8°, height 38mm, Oversize, 1 1/8", sandblast matt finish with bolts ED finish, Ext: 90mm-48-50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm  |
| HANDLEBAR          | Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm- 48/50cm; 420mm-52/58cm ,440mm-58cm   |
| GRIP/TAPE          | VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork  |
| SEATPOST           | Velomann SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 27,2mm, Length: 350mm-48/58cm  |
| SADDLE             | Selle Royal Velomann 1285 URN, steel rails, lenght/wide 278x144mm  |



**ZOLDER PRO - GRX 600 11SP**



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

|                |  |
|----------------|--|
| CODE           | XRB26  |
| COLOR          | ZD - CK16/Purple rainbow<br>Z2 - Black/Purple rainbow  |
| FRAME          | ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142, sizes 48-50-52-54-56-58-cm |
| SEATPOST CLAMP | MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp   |
| HEADSET        | Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy                               |
| FORK           | Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100  |