

**Bianchi**

< ULTEGRA DI2 12SP YRB171XB >

# OLTRE XR4



THE IMAGE SHOWN IS INDICATIVE ONLY.  
Components and graphic details may differ from the actual model.

**ROAD RACING**



## BIKE TECH SPECS

### SIZES

470 500 530 550 570 590 610

### FRAME

OLTRE XR4 CARBON W/BIANCHI CV, MECHANICAL/ELECTRONIC SHIFTING COMPATIBLE, HEADSET 1.5", PRESSFIT 86.5X41MM BB, DISC BRAKE INTERNAL CABLE ROUTING, FLAT MOUNT CALIPER, THRU AXLE 12X142MM, SIZES 47-50-53-55-57-59-61CM

### FORK

BIANCHI FULL CARBON W/BIANCHI CV, 1.5" INTEGRATED HEAD, DISC BRAKE INTERNAL CABLE, FLAT MOUNT CALIPER, THRU AXLE 12X100MM

## **HEADSET**

FSA ORBIT CUSTOM 5D ACR TOP COVER UD CARBON, LOWER 1.5" - TOP 1.5", 36° - 45° ACB BEARING, W/CARBON CUSTOM CONE SPACER SPECIFIC FOR METRON DISC INTEGRATED HANDLEBAR, FOR 52MM/52MM OD HEAD TUBE

## **SHIFTERS**

SHIMANO ULTEGRA DI2 12SP, HYDRAULIC DISC BRAKE FOR ROAD

## **REAR DERAILLEUR**

SHIMANO ULTEGRA DI2 12SP

## **FRONT DERAILLEUR**

SHIMANO ULTEGRA DI2 12SP

## **CRANKSET**

SHIMANO ULTEGRA HOLLOWTECH 2, 50X34T W/O BB PARTS, CRANK LENGTH: 170MM-47/53CM, 172.5MM-55/59CM, 175MM-61CM

## **BB**

SHIMANO SM-BB72-41B

## **CHAIN**

SHIMANO ULTEGRA

## **SPROCKET**

SHIMANO ULTEGRA, 11-30T

## **BRAKES**

SHIMANO HYDRAULIC DISC BRAKE, INCLUDED IN THE SHIFTER

## **BRAKE LEVERS**

INCLUDED W/SHIFTERS

## **WHEELS**

FULCRUM RACING 400 DISC BRAKE, 622X19C, 2 WAY FIT TUBELESS READY

## **TIRE**

PIRELLI P ZERO™ RACE , 26-622, 127TPI, ARAMID BREAKER

## **STEM**

REPARTO CORSE BY VISION METRON 5D ACR DISC INTEGRATED AERO BAR, BAR/STEM INTEGRATED, MATERIAL UD WEAVE CARBON, DROP 125MM, REACH 80MM, DI2 COMPATIBLE, RC'21 GRAPHICS, EXT: 100X400MM-47/50CM, 110X420MM-53/55CM, 120X420MM-57/59CM, 130X440MM-61CM

## **HANDLEBAR**

INCLUDED IN THE STEM

## **GRIPS**

BLACK SOFT MICROFIBER TAPES W/SHOCKPROOF EVA-139

## **SEATPOST**

REPARTO CORSE FULL CARBON AERO SPECIAL DIMENSION; SPECIAL CLAMP TYPE WITH ALLOY HEAD ADJUSTABLE AND REVERSIBLE +/- 35MM; LENGHT: 250MM-47CM, 300MM-50/53CM, 350MM-55/59CM, 380-61CM, SETBACK: 25MM/+10MM

## **SADDLE**

FI'ZIK ARGO VENTO R3, NYLON CARBON REINFORCED SHELL W/WINGFLEX, K: IUM RAILS, 260X140MM

## ROTOR

SHIMANO SM-RT800 CENTER LOCK, DIAM. 160MM

Oltre XR4 Disc													
A1	A	B1	C	E	F	G	G1	H	I	X	Y	WB	
470	420	513	410	58	105	579	74.5°	70.5°	43	368	377	490	982
500	450	523	410	58	110	581	74.5°	71.5°	43	368	385	498	983
530	480	535	410	68	125	582	74°	72°	43	368	385	524	984
550	501	550	410	68	140	588	73.5°	72.5°	43	368	390	545	988
570	520	560	412	68	155	593	73.5°	73°	43	368	395	556	995
590	540	575	412	68	175	603	73°	73°	43	368	398	575	1005
610	560	585	414	68	195	607	72.5°	73°	43	368	398	594	1011

